

# Masking



# Solutions



*Premium Autobody Shop Supplies & Equipment*

[www.fbs-online.com](http://www.fbs-online.com)  
[info@fbs-online.com](mailto:info@fbs-online.com)

# FOAM-MASK

## K-FM 905



Sealing and protection of doors, engines, hoods, trunks and other car apertures against paint overspray.

**K-FM 905** 30m (6 x 5m) 6 rolls/cs  
33yd (6 x 5.5yd) 6 rolls/cs

Optimized profile!  
(25 x 9mm)

**No hard paint edges!**

### Benefits

1

Optimized Profile  
"Soft Edge" - eliminates hard paint lines/edges!

2

No paint clean up!  
Adhesive placed to one side (Paint overspray does not stick to adhesive).

3

"Good Memory"  
Foam Mask retains its shape when cut to join the strips/pieces - no gaps!

- Adhesive base: rubber crosslinked
- Carrier: foam
- Elongation: N/A
- Temp. resistance 1h/95° C (203° F)
- UV-resistance: limited
- Waterborne resistance: excellent

A - post



B - post



C - post



Hoods/Trunks



Tail gates • Sun roofs • Gas caps • more...

# PRO-MASK

## Masker

"2 in 1" combined coated paper and high temperature masking tape offers "Quick & Easy" solutions for big, and small masking jobs.



## Quick & Easy Masking!

<b>48216</b>	7" x 65 ft. refill roll	60 rolls/cs
<b>48218</b>	7" x 65 ft. refill roll/w. dispenser	48 rolls/cs
<b>48236</b>	12" x 72 ft. refill roll	24 rolls/cs
<b>48238</b>	12" x 72 ft. refill roll/w. dispenser	22 rolls/cs

Pro-Mask maskers offer "Quick & Easy" solutions while masking bumpers, door-jambs, head-lights, tail-lights, and other small car parts.

## High Temperature

110 ° C / 232 ° F

- Adhesive base: rubber crosslinked
- Carrier: crepe paper
- Elongation: 10%
- Temp. resistance 1h/110° C (232° F)
- UV-resistance: limited
- Waterborne resistance: excellent



Tail-lights • Head-lights • Door-jambs • Bumpers • Gas caps • more...



Water borne paint resistance

## K-Auto Mask 120B PV1

Professional Quality



Professional quality, low crepped masking tape with heat resistant rubber based adhesive. It offers superior cornering, smooth handling and clean finish. **Thin/sharp edge - ideal for waterborne paint applications.**

Color: brown

**48010** 3/4" x 55 yd 32 rolls/cs  
**48020** 1.5" x 55 yd 16 rolls/cs

- Adhesive base: rubber crosslinked
- Carrier: stab. crepe paper
- Elongation: 10%
- Temp. resistance 1h/90° C (194° F)
- UV-resistance: limited
- Waterborne resistance: excellent



## K-522 Control Tape

Paint coverage checker




Printed, low crepped masking tape with rubber based adhesive. **Excellent for checking and verifying paint thickness, and paint coverage.**

Black and white

**48030** 3/4" x 55 yd 32 rolls/cs

- Adhesive base: natural rubber
- Carrier: stab. crepe paper
- Elongation: 9%
- Temp. resistance 1h/80° C (176° F)
- UV-resistance: limited
- Waterborne resistance: limited



Made in Germany by



Exclusively Imported by:

FBS Distributions Co., Inc.

704, 2071 Kingsway Ave.  
Port Coquitlam, BC, V3C 6N2  
Canada

Tel.: 604-472-0773  
Fax: 604-472-0776

Toll Free Tel.: 1-888-984-9441  
Toll Free Fax: 1-888-984-9840

\*Other widths and custom size tapes are available on request.

## F-306 Flex Mask

Extremely thin paint edge



Flexible polyolefin foil, specially modified for universal automotive masking applications. **High flexibility and excellent waterborne paint resistance.**




Finger mask

Color: beige

<b>48040</b>	3/4" x 55 yd	32 rolls/cs
<b>48050</b>	1.5" x 55 yd	16 rolls/cs
<b>48055</b>	3/4" x 27 yd	8 rolls/tin

- Adhesive base: rubber crosslinked
- Carrier: stab. crepe paper
- Elongation: 100%
- Temp. resistance 1h/100° C (212° F)
- UV-resistance: limited
- Waterborne resistance: excellent



Finger mask

## K-UTG Gold Tape

With acrylic adhesive for masking on difficult surfaces



Extremely thin, and flexible masking tape for application on difficult surfaces and waterborne paints. UV-resistant with acrylic adhesive. **Tape can be lifted and repositioned without leaving a residue.**



Finger mask

Color: gold

<b>48060</b>	3/4" x 55 yd	32 rolls/cs
<b>48070</b>	1.5" x 55 yd	16 rolls/cs
<b>48075</b>	3/4" x 27 yd	8 rolls/tin

- Adhesive base: acrylic
- Carrier: stab. special paper
- Elongation: 4%
- Temp. resistance 1h/100° C (212° F)
- UV-resistance: up to 6 months
- Waterborne resistance: excellent



## PT43 Performance Tape

Premium Quality crepe fineline



Very thin/sharp paint edge for exact color separation, work in radius, and on uneven surfaces. **The tape performs extremely well on plastic parts and difficult areas to mask.** Exceptional adhesive transfer resistance, cornering, and paint lines.

Color: yellow/beige

<b>48705</b>	1/16" x 60 yd	12 rolls/cs
<b>48710/11</b>	1/8" x 60 yd	12 rolls/cs
<b>48720/21</b>	1/4" x 60 yd	12 rolls/cs
<b>48730/31</b>	1/2" x 60 yd	12 rolls/cs
<b>48740/41</b>	3/4" x 60 yd	12 rolls/cs
<b>48700</b>	Box set	12 sets/cs

- Adhesive base: rubber crosslinked
- Carrier: stab. crepe paper
- Elongation: 10%
- Temp. resistance 1h/175° C (347° F)
- UV-resistance: limited
- Waterborne resistance: excellent



## F-178 ProBand Tape

Premium Quality polymer fineline




Fine line tape made of thermostabilized polymer film with rubber based adhesive. **Offers excellent solvent resistance, and high conformability without hour-glassing, and telescoping.** It is semi translucent, which helps to follow the lines.

Color: orange


<b>48405</b>	1/16" x 60 yd	12 rolls/cs
<b>48410</b>	1/8" x 60 yd	12 rolls/cs
<b>48420</b>	1/4" x 60 yd	12 rolls/cs
<b>48430</b>	1/2" x 60 yd	12 rolls/cs
<b>48440</b>	3/4" x 60 yd	12 rolls/cs

- Adhesive base: rubber blend
- Carrier: stab. polymer film
- Elongation: 120%
- Temp. resistance 1h/130° C (266° F)
- UV-resistance: limited
- Waterborne resistance: excellent



## K-TM21 Trim Edge Tape

Perforated and Silicone Free




Perforated

A high quality precision masking tape with built-in plastic insert strip, for applications with flush mounted seals, and mouldings around; **windshields, sunroofs, back/side glass, front/rear tail lights.** Available in "Original" and with "Perforations".

Color: beige

<b>K-TM21</b>	(3/8") 2" x 33 ft	6 rolls/cs
<b>48301</b>	(1.0") 2" x 33 ft	6 rolls/cs
<b>48302</b>	(3/4") 2" x 33 ft	6 rolls/cs
<b>48303</b>	(3/8") 2" x 33 ft	6 rolls/cs
<b>48304</b>	Dispenser	6 ea./cs

- Adhesive base: rubber crosslinked
- Carrier: stab. crepe paper
- Elongation: 5%
- Temp. resistance 1h/150° C (302° F)
- UV-resistance: limited
- Waterborne resistance: excellent



Original

## D-8405 Top Tech

Clear Acrylic Tape



Double sided , clear acrylic tape with very high adhesive power and excellent aging properties. **It conforms to the highest requirements of automotive industry on rough and uneven surfaces,** including trims, mouldings, mirrors, and emblems.

Color: liner-red/acrylic-translucent

D-8405 thickness	0.5mm (app. 1/48")
<b>8405-12</b>	1/2" x 18.3 ft 2 rolls/tin
<b>8405-19</b>	3/4" x 18.3 ft 1 roll/tin

- Adhesive base: acrylic
- Carrier: stab. acrylic foam
- Elongation: 100%
- Temp. resistance 1h/90° C (194° F)
- UV-resistance: good
- Waterborne resistance: excellent

